

FUZZY RANDOM REGRESSION TO IMPROVE COEFFICIENT ESTIMATION
FOR MALAYSIAN AGRICULTURAL INDUSTRY

HAMIJAH BINTI MOHD RAHMAN

A dissertation submitted in partial
fulfillment of the requirement for the award of the
Degree of Master of Computer Science (Soft Computing)



Faculty of Computer Science and Information Technology
Universiti Tun Hussein Onn Malaysia

APRIL 2014

Special dedicated to my beloved parents,

Haji Mohd Rahman Bin Haji Abd Majid and Hajah Miskirah Binti Mustamin

My husband and daughters,

Muhammad Najmee Bin Md Yamin

Nazeefah Humairah

Najma Hanees



PTTA UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

ACKNOWLEDGEMENT

Alhamdulillah, praises to Allah for giving me the strength, patience and ability to accomplish and fulfill this project report.

I would like to take this opportunity to express my appreciation to my supervisor, Dr. Nureize Binti Arbaiy for her advice, support and guidance throughout the course of study and writing of the thesis.

This appreciation also extends to all my colleagues and others who have provided assistance at various occasions. Finally, I would like to dedicate this thesis to my beloved family and dearest person. Without their love and support, I would have never come this far. May Allah Bless all of you.

Thank you.



PTTA UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

ABSTRACT

Conventional model setting of production planning is developed with numerical crisp values. Additionally coefficient values must be determined before the model is set. It is however troublesome and complex for decision maker to provide rigid values and determining the coefficient values for the model. Building the production planning model with precise values sometimes generates improper solution. Hence, this study proposes a fuzzy random regression method to estimate the coefficient values for which statistical data contains simultaneous fuzzy random information. A numerical example illustrates the proposed solution approach whereby coefficient values are successfully deduce from the statistical data and the fuzziness and randomness were treated based on the property of fuzzy random regression. The implementation of the fuzzy random regression method shows the significant capabilities to estimate the coefficient value to further improve the model setting of production planning problem which retain the simultaneous uncertainties.



PTTAA
PERPUSTAKAAN TUNKU TUN AMINAH

ABSTRAK

Menentukan nilai pemalar kadang-kala sukar dan kompleks untuk pembuat keputusan. Walau bagaimanapun nilai pemalar adalah penting untuk pelbagai tujuan, khususnya untuk mengukur hubungan dalam ungkapan algebra dan membina model matematik. Selain itu, memberi nilai yang tepat bagi pemalar adalah sukar apabila ia melibatkan maklumat kabur, dan kewujudan maklumat rawak meningkatkan lagi kesukaran untuk menentukan nilai pemalar. Oleh itu, kajian ini mencadangkan satu kaedah regresi rawak kabur untuk menganggarkan nilai pemalar di mana data statistik yang mengandungi maklumat kabur dan rawak digunakan. Contoh nilai numerik menunjukkan cadangan pendekatan penyelesaian di mana nilai-nilai pemalar berjaya disimpulkan dari data statistik, dan kekaburan serta kerawakan dirawat berdasarkan regresi rawak kabur. Pelaksanaan kaedah regresi rawak kabur menunjukkan kebolehan untuk menganggar nilai pemalar untuk memperbaiki masalah dalam model perancangan pengeluaran di mana ketidaktentuan wujud.



CONTENTS

TITLE	i
DECLARATION	ii
DEDICATION	iii
ACKNOLEDGEMENT	iv
ABSTRACT	v
ABSTRAK	vi
CONTENTS	vii
LIST OF TABLES	x
LIST OF FIGURES	xi
LIST OF ABBREVIATIONS	xii
LIST OF APPENDICES	xiii
CHAPTER 1 INTRODUCTION	
1.1 Background Study	1
1.2 Problem Statement	2
1.3 Objective	3
1.4 Scope	3
1.5 Significance of the Study	4
1.6 Dissertation Overview	4
CHAPTER 2 LITERATURE REVIEW	
2.1 Overview	5

2.2	Uncertainties	5
2.2.1	Fuzzy Theory	5
2.2.2	Random/ Probability Theory	6
2.2.3	Fuzzy Random Variable	6
2.3	Prediction Model	7
2.4	Regression Analysis	8
2.4.1	Fuzzy Regression	9
2.4.2	Fuzzy Random Regression	11
2.5	Production Planning	14
2.6	Application to Industrial Sector	15
2.6.1	Rubber Industry	15
2.6.2	Paddy Industry	16
2.7	Chapter Summary	17

CHAPTER 3 RESEARCH METHODOLOGY

3.1	Overview	18
3.2	Terminology and Notations	18
3.3	Research Activity	18
3.3.1	Data Collection and Data Preparation	19
3.3.2	Estimating Model Coefficient	21
3.3.3	Result and Analysis	22
3.4	Application of Methods	22
3.4.1	Fuzzy Regression	23
3.4.2	Fuzzy Random Regression	23

3.5	Implementation of the Proposed Method	24
3.6	Data Preparation for Coefficient Estimation	27
3.7	Estimating the Coefficient	29
3.7.1	Regression Model for Rubber Production	30
3.7.2	Regression Model for Paddy Production	31
3.8	Chapter Summary	31

CHAPTER 4 RESULT AND DISCUSSION

4.1	Overview	32
4.2	Result from Coefficient Estimation	33
4.3	Development of Linear Model	35
4.4	Measurement of Errors	37
4.5	Chapter Summary	41

CHAPTER 5 CONCLUSIONS

5.1	Overview	42
5.2	Summary	42
5.3	Future Work	43

REFERENCES	45
-------------------	-----------


APPENDICES	50
-------------------	-----------

LIST OF TABLES

3.1	Selected parameter for the rubber and paddy dataset	20
3.2	Sample of rubber dataset	20
3.3	Sample of paddy dataset	20
3.4	Data of rubber production	26
3.5	Data of paddy production	26
3.6(A)	The dry production	27
3.6(B)	The latex production	28
3.6(C)	The total production	28
3.6(D)	The paddy production	29
3.6(E)	The rice production	29
3.6(F)	The total production	29
4.1	Definition of notations	32
4.2	Coefficient result for the rubber production	33
4.3	Coefficient result for the paddy production	34
4.4	Predicted rubber production	37
4.5	Predicted paddy production	38
4.6	Error measurement for rubber	40
4.7	Error measurement for paddy	41

LIST OF FIGURES

3.1	Flowchart of the research methodology	19
4.1	Prediction graph for rubber production	38
4.2	Prediction graph for paddy production	39
4.3	Residuals plots for rubber FRR model	40
4.4	Residuals plots for paddy FRR model	41



LIST OF ABBREVIATIONS

FRRM	Fuzzy Random Regression Model
FRM	Fuzzy Regression Model
MRB	Malaysian Rubber Board
MREPC	Malaysian Rubber Export Promotion Council
MIDA	Malaysia Investment Development Authority
DOA	Department of Agriculture
MAE	Mean Absolute Error
MSE	Mean Square Error
RMSE	Root Mean Square Error



LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Fuzzy random data	50
B	Dataset of other criteria in rubber model	52
C	Dataset of other criteria in paddy model	55
D	Data preparation for coefficient estimation (rubber)	57
E	Data preparation for coefficient estimation (paddy)	64



PTTA UTHM
PERPUSTAKAAN TUNKU TUN AMINAH

CHAPTER 1

INTRODUCTION

This chapter explains the background of the study which involves the estimating coefficient values from historical data whereby fuzzy random information coexist. A fuzzy random regression analysis is introduced to estimate coefficient of a linear programming from a statistical data which contain fuzzy random data. The problem statement, objectives, scope and significance of the study are also presented in this chapter.

1.1 Background study

Coefficient or weight value is a constant that represents the rate of change of one variable as a function of changes in the others. The coefficient value is used to explain the relation between dependent and independent variables. Equation 1.1 (Montgomery *et al.*, 2012) shows the example of coefficient used in linear regression analysis.

$$y = ax + b \quad (1.1)$$

Given in the Equation (1.1), a indicates the coefficient that represent the rate of change of variable y as a function of change x . This coefficient value plays an important role in the development of a linear programming. However, developing this linear programming model requires coefficient values for each of the attribute that included in the model. Commonly, coefficient values in the model are provided by the decision maker. However, determining coefficient sometimes is difficult in the absence of relevant data. In fact, the decision maker might provide imprecise value; and may vary from one decision maker to another where many uncertainties are occurring at the same time. Therefore, an appropriate method is necessary to estimate the coefficient value when the historical data available. A method to solve the problem of model's coefficient estimation is by using regression analysis. This

regression analysis is a statistical technique for modeling the relationship between variables (Montgomery *et al.*, 2012). This technique is supported by effective statistical analysis dealing with numeric precise data. In other words, the obtained statistical model is not considering the imprecision or uncertainty in the data. However, in real life application, there exists uncertainty fuzzy data in which subjective human estimation play a main role. As a result, a fuzzy regression models was introduced to handle with the fuzzy uncertainty input-output data (Tanaka *et al.*, 1982).

On the other hand, it is a common situation in real life problem where the uncertainty is occurring simultaneously fuzzy with random data. Fuzziness is comes from the vague or imprecise information when mistakes can come from man, machine or the expert himself. Meanwhile, the randomness occurs when the observed data is collected randomly. The fuzzy random situation is explained as follows. Assume that an expert is responsible to evaluate the production of two sample products. Randomness occurs because it is not known which product may produce higher quantity, and vice versa. Meanwhile, fuzziness originates from the lingual notion such as ‘sufficiently larger’, ‘is about’ etc. used by the decision maker to express the preference instead of the precise figures.

When such simultaneous uncertainties occur in the data, an appropriate mathematical programming model is necessary to handle these uncertainties. Hence, the fuzzy random regression is introduced to deal with the hybrid uncertainty where the fuzziness and randomness are the central roles (Watada *et al.*, 2009). The fuzzy random regression uses confidential interval to include more possibility in its prediction strategies.

1.2 Problem statement

Real life application of production planning problem requires mathematical programming structure such as linear programming to model the relationship between variables. The coefficient information is necessary as it is important to model the relationship between the input-output variables. However, the required coefficient value is not always available on time, yet it raises the complexities to model the production planning mathematically.

The difficulties occurred as the decision maker difficult to decide the exact coefficient values. The decision also, might vary from one decision maker to another. The differences among decision maker can be treated statistically, but each fuzzy term should be treated by considering the formalism of fuzzy set. Therefore, it is important to ensure that the tool to estimate the coefficient value is sufficiently can handle the explained situation.

Additionally, the historical data which is captured from the real situation may contain simultaneous fuzzy random information whereby the collective data which is collected randomly contain imprecision. Moreover, the real life application is commonly include the state of randomness and fuzziness. The classical regression analysis is unable to deal with the uncertainties. Besides, the existence of random data is beyond the scope of fuzzy regression approach. Motivated by the above-mentioned problems, a fuzzy random regression method is proposed to be applied to estimate the model's coefficient value in the fuzzy random environment.

1.3 Objectives

The main objective of this study is to implement the fuzzy random regression approach to determine the fuzzy random based coefficient value under fuzzy random uncertainties. Specifically, the objectives of this study are:

1. to estimate the coefficient value from statistical data which contain fuzzy random information
2. to develop linear programming model for selected parameter in agricultural industrial application
3. to compare the fuzzy random regression with the fuzzy regression approach.

1.4 Scope

The scope of this study encompasses of several items. It is the aim of this study to estimate the coefficient value using fuzzy random regression approach for developing a mathematical programming model. The application of this research is implemented in Malaysian Agricultural Industry i.e., rubber and paddy. As for Malaysian rubber industry, two types of natural rubber production is selected which

is dry and latex. The selected rubber historical data is for 13 year interval beginning 2000 until 2012. Meanwhile, two kinds of products of Malaysian paddy industry is selected which are paddy and rice. Six years of paddy historical data is been selected beginning 2006 until 2011.

1.5 Significance of the study

In real practice, a decision maker provides the coefficient information. However, the coefficient value sometime is not easy to obtain or determine beforehand which makes the relevant coefficient value is unavailable on the time it is required. Therefore, the fuzzy random regression method is beneficial to estimate the coefficient value especially when the information is not available.

Conventionally, in mathematical programming, the coefficient is assumed as a constant and precise value. However, in real practical application, the presence of uncertainties (e.g. fuzzy and random information) in the real data could not be ignored. It is important to remain the uncertainties in the modeling of real situation to avoid misleading result.

The methodology presented in this study is able to assist coefficient values extraction from statistical data with the treatment of fuzziness and randomness. Hence, at one particular point of view, the fuzzy random regression method is important to facilitate the decision maker to decide the coefficient value and further modeling the real situation problem mathematically. Thus, the difficulties of decision maker to decide the coefficient value can be reduced and uncertainties situation can be treated sufficiently.

1.6 Dissertation overview

This report is presented in five chapters. The first chapter explains the background study, problem statement, objective, scope and significant of the study. Chapter two discusses a related literature review to this study. Chapter three describes the research methodology while results and discussions are explained in Chapter four. The last chapter conclude the report and provides some suggestion for future work.

CHAPTER 2

LITERATURE REVIEW

2.1 Overview

This chapter is focuses in explaining a review on prediction model, classical regression approach; fuzzy regression approach fuzzy random regression approach and also production planning. The review on the Malaysian rubber industry and paddy industry is also presented as a background.

2.2 Uncertainties

Uncertainty theory is a branch of mathematics where it is used to model the human uncertainty (Liu, 2012). Generally, the uncertainty can be defined as that which is precisely known (Booker and Ross, 2011). The phenomenon of uncertainty is a common feature in real world whereby it happened when some situation can be quantified by uncertain measure. The concept of uncertainty was introduced by Zadeh where he defined the fuzzy set concept as a class of objects encountered in the real physical world do not have precisely defined criteria of membership (Zadeh, 1965). Uncertainty in the data is not only occurring in fuzzy situation, as the data may exist randomly. Moreover, uncertainty may exist simultaneously fuzzy with random data. In this section, the fuzzy theory, random and also concept of fuzzy random variable are explained.

2.2.1 Fuzzy theory

The term “Fuzzy Logic” originates from the word fuzzy which is deal with fuzziness. Fuzziness means a situation or problem that has imprecision, uncertainty or incomplete of information. Fuzzy Logic is a small part of the fuzzy set theory that is been introduced to solve real world problems. It is different from Crisp Logic in the

conventional mathematical operation. Crisp Logic is a classical logic which is valid for ideal cases with more precision.

More specifically, fuzzy logic may be viewed as an attempt at formalization of two remarkable human capabilities to converse, reason and make rational decision in an environment of imprecision, uncertainty, incompleteness of information, conflicting information and partiality of truth (Zadeh, 2008). The main motivation to apply fuzzy logic is because the algorithm can manipulate vague, imprecise and uncertainty concepts. It also has the capability to operate on perception-based information in which come from human natural language.

2.2.2 Random/ probability theory

Random theory or probability is a quantity that is measured in connection with random experiment. The probability theory comprises mathematically based theories and methods for investigating random phenomena (Beichelt, 2006). Commonly, random phenomena occur in connection with random experiment in which outcomes of the random experiment could not be predicted with certainty. An example of random experiment is like counting the number of vehicle arriving at a filling station a day (Beichelt, 2006).

The probability theory is different from fuzzy theory where this theory is lacking in capability to operate perception-based information (Zadeh, 2002). The perception-based information is based on the human natural language-proposition which describes one or more perception. However, this probability theory has limitation whereby it unable to operate on perception-based information (Zadeh, 2002).

2.2.3 Fuzzy random variable

The concept of fuzzy random variable was introduced by Kwarkenaak, who defined these variables as a measurable function that linked the probability with the fuzzy numbers. Randomness is caused by some chance mechanism whereas fuzziness is brought about by dimness of perception (Kwarkenaak, 1978). Fuzzy random variables may be used to describe and characterize situations where the statistical

data has some element of uncertainties (Kwarkenaak, 1979). Since then, various extensions of these variables had been studied. Puri and Ralescu (1986) define a concept of fuzzy random variables and the expectation of these variables by investigating some of their properties.

Moreover, Lopez-Diaz and Gil (1997) discussed the constructive definition of fuzzy random variables that would play an essential role in the constructive definition of their integrals, which will be especially valuable to perform practical computations and to develop further results concerning the integration of these variables. Furthermore, Gil *et al.*, (2006), analysed the interpretation, modelling and impact of the fuzzy random variables. Yang and Gao (2010) investigate the fuzzy random variables by their own characteristic and uniqueness. In all of these works, a fuzzy random variable is defined as a function that assigned a fuzzy subset in order to find the possible output of a random experiment. The different definitions in the literature disagree on the measurability condition imposed to the mapping, and in the properties of the output space, but all of them intend to model situations that incorporates fuzziness and randomness (Cousco *et al.*, 2007).

Based on the explanation, it is apparently realized that the uncertain information are originated from many resources. Even though the solution which uses precise value is satisfactorily good, retaining the uncertainties in the developed model is necessarily important to remain the underlying intention and to address some limitation.

2.3 Prediction model

Predicting the future is a basic problem in which people have to solve every day. It is a component of planning, decision-making, memory and causal reasoning (Griffiths and Tenenbaum, 2011). The ability to accurately predict the future outcomes of complex systems has been the goal of forecasters for decades (Cave, 2011). Prediction is widely been used in real life application such as in weather forecasts, medical studies, quality testing and many more. For example, statistical data from the weather department is used as to compare prior weather conditions with current weather to predict future weather. Prediction is also applied in medical studies where it uses statistic data to validate the effectiveness of any drug before the drug can be

prescribed. Besides that, the quality testing also used data in order to identify whether any product that the company produced will pass the quality test.

In order to accomplish a prediction, an appropriate method is necessary as a tool in assisting to predict accurately. Several methods for prediction have been suggested and implemented such as Kalman filters, Artificial Neural Network and also regression analysis. The Kalman filter is taken from control theory and is used to resolve the statistical error. However, this method has done little to replace forecast using human judgement by people knowledgeable in their field (Cave, 2011). Meanwhile, the Artificial Neural Network is suitable been applied when there is huge data provided. Besides that, a regression analysis is a well-known method applied in prediction problem when the statistical historical data still intact.

2.4 Regression analysis

Regression analysis is one of the techniques uses in statistical data for coefficient estimation. This technique is supported by effective statistical analysis dealing with precise crisp data. The importance of this regression approach is to investigate and model the relationship between variables. Regression analysis is used in evaluating the functional relationship between the dependent and independent variables and also in determining the best-fit model for describing the relationship (Yang and Ko, 1997).

This technique is widely used in forecasting and prediction and had been used over a decades. There also a study of regression where the researchers identified the algebraic relationship between classical regression and total least square estimation (Huffle and Vandewall, 1987). Furthermore, regression also had been used in medical problem where the equation was used to estimate the total body water for diabetes's patient (Chertow *et al.*, 1997). The applications of regression are numerous and occur in almost every field such as engineering, chemical science, economic and others (Montgomery *et al.*, 2012). Thus, the regression analysis have a significant role in finding relationship between variables and apparently useful for various application.

However, the classical regression has limitation in treating uncertainty that commonly exist in real life application. Therefore, improvement on fuzzy regression

is useful to make the method capable to solve the limitation in the traditional regression method.

2.4.1 Fuzzy regression

Fuzzy regression is a regression analysis on fuzzy data in dealing with the fuzziness environment (Yang and Ko, 1997). The first linear of regression analysis with fuzzy model was proposed by Tanaka *et al.*, (1982). This method was introduced as to cope with the imprecise data coming from fuzzy environments where human subjective estimates play a main role. Fuzzy regression has been studied and applied widely in the fuzzy environment. The concept of fuzzy regression related to Tanaka approach has been discussed including a consideration of fuzzy least- squares regression models (Shapiro, 2005).

The study of fuzzy regression technique is continues by improve the fuzzy regression proposed by Tanaka *et al.*, (1982) with the introducing fuzzy input-output data using shape-preserving fuzzy arithmetic operation the fuzzy partition (Song *et al.*, 2005). Moreover, new method for computation of fuzzy regression was proposed where the approach is depends on the entropy's properties to rectify previous problems in fuzzy linear regression with crisp input and fuzzy output (Pasha *et al.*, 2007). The fuzzy regression also applied as to solve problem in agricultural industry where it used to decide the fuzzy weight based on the criteria of oil palm fruit (Nureize and Watada , 2010). Meanwhile, different approach has also been proposed for computation of fuzzy linear regression based on the goal programming technique to estimate upper and lower fuzzy band with fuzzy output and crisp inputs (Abdollahzadeh *et al.*, 2010).

Classical fuzzy regression is written as follows:

$$\begin{aligned} Y = [Y_j] &= [A_1 x_{j1} + A_2 x_{j2} + \dots + A_n x_{jn}] = \mathbf{A} \mathbf{x}_j^t \\ x_{j1} &= 1; j = 1, 2, \dots, n \end{aligned} \quad (2.1)$$

where regression coefficient A_i is a triangular-shaped fuzzy number $A_i = \langle a_i, h_i \rangle$ with centre a_i and spread h_i . In Equation (2.1), \mathbf{x}_j is a value vector of all criteria for the j^{th} sample.

Equation (2.1) can be written as Equation 2.2 which referring to the extension principle:

$$Y_j = \mathbf{A}\mathbf{x}_j^t = \langle \mathbf{a}\mathbf{x}_j^t, \mathbf{h}|\mathbf{x}_j|^t \rangle \quad (2.2)$$

where $|\mathbf{x}_j| = (|x_{j1}|, |x_{j2}|, \dots, |x_{jK}|)$. The output of the fuzzy regression (2.1) results in fuzzy number, whose coefficients are fuzzy numbers.

The regression model with fuzzy coefficients can be described using the lower boundary $\mathbf{a}\mathbf{x}_j^t - \mathbf{h}|\mathbf{x}_j|^t$, centre $\mathbf{a}\mathbf{x}_j^t$ and upper boundary $\mathbf{a}\mathbf{x}_j^t + \mathbf{h}|\mathbf{x}_j|^t$. A sample (y_j, \mathbf{x}_j) , $j = 1, 2, \dots, n$ is defined for the total evaluation with centre y_j , spread d_j as a fuzzy number $y_j = \langle y_j, d_j \rangle$. The inclusion relation between the model and the samples should be written as Equation 2.3:

$$\begin{aligned} y_j + L^{-1}(\alpha)d_j &\leq \mathbf{a}\mathbf{x}_j^t + L^{-1}(\alpha)\mathbf{h}|\mathbf{x}_j|^t \\ y_j - L^{-1}(\alpha)d_j &\geq \mathbf{a}\mathbf{x}_j^t - L^{-1}(\alpha)\mathbf{h}|\mathbf{x}_j|^t \end{aligned} \quad (2.3)$$

In other words, the fuzzy regression model is built to contain all samples in the model. This problem results in a linear program.

Using the notations of observed data (y_j, \mathbf{x}_j) , $y_j = \langle y_j, d_j \rangle$, $\mathbf{x}_j = [x_{j1}, x_{j2}, \dots, x_{jK}]$ for $j = 1, 2, \dots, n$ and fuzzy coefficients $\mathbf{A}_i = \langle \mathbf{a}_i, \mathbf{h}_i \rangle$ for $i = 1, 2, \dots, K$, the regression model can be mathematically written as the following linear programming problem:

$$\begin{aligned} \min_{\mathbf{a}, \mathbf{h}} \quad & \sum_{j=1}^n \mathbf{h}|\mathbf{x}_j|^t \\ \text{subject to} \quad & y_j + d_j \leq \mathbf{a}\mathbf{x}_j^t + \mathbf{h}|\mathbf{x}_j|^t, j = 1, 2, \dots, n, \\ & y_j - d_j \geq \mathbf{a}\mathbf{x}_j^t - \mathbf{h}|\mathbf{x}_j|^t, j = 1, 2, \dots, n, \\ & \mathbf{h} \geq 0. \end{aligned} \quad (2.4)$$

A fuzzy regression is obtained by solving the linear programming problem in Equation (2.4). The fuzzy regression model is also capable to treat non-fuzzy data by setting the spread to 0 in the above equations. The formulation of regression model (2.4) is then used to estimate the weight or coefficient. From the explanation of fuzzy regression, it shows that this technique is suitable to be applied in the situation where fuzzy data is exist.

2.4.2 Fuzzy random regression

Fuzzy random regression is a regression technique that was proposed in coping with the fuzzy random data. In real world regression analysis, statistical data may be linguistically imprecise or vague where the real data cannot be characterized by using only the formalism of random variables as there is existence of stochastic and fuzzy uncertainty (Watada *et al.*, 2009). Statistical inference with fuzzy random data transfers the fuzziness into parameter estimators and it may be necessary to defuzzify the vague parameter at level decision making (Nather, 2006).

Regression based on fuzzy random data is widely been used and many researcher study this technique to solve problem with these fuzzy random data (Rodriguez *et al.*, 2009). The study of this fuzzy regression analysis is based on fuzzy random variables with confidence intervals in the fuzzy multi attribute decision making was been proposed, as to enable decision makers to evaluate and find the importance weight (Watada, 2011). Determining weight in multi-attribute decision making is important, so a fuzzy random regression to estimate attribute importance in total evaluation within the bound of hybrid uncertainty is proposed (Nureize and Watada, 2011). Moreover, the fuzzy random regression method also has been proposed as an integral component of regression models in handling the existence of fuzzy random information (Nureize and Watada, 2011).

The expected value of a fuzzy variable is presented as follows:

Definition 2.1: Let Y be a fuzzy variable. Under the assumption that the two integrals are finite, the expected value of Y is defined as follows in (Watada *et al.*, 2009):

$$E[Y] = \int_0^{\infty} \left(\frac{1}{2} \left[1 + \sup_{t \geq r} \mu_Y(t) - \sup_{t < r} \mu_Y(t) \right] \right) dr - \int_{-\infty}^0 \left(\frac{1}{2} \left[1 + \sup_{t \leq r} \mu_Y(t) - \sup_{t > r} \mu_Y(t) \right] \right) dr \quad (2.5)$$

Following from Equation (3.1), the expected value of Y is defined as

$E[Y] = \frac{a^l + 2c + a^r}{4}$ where (a^l, c, a^r) is a triangular fuzzy number and c is a center value.

Definition 2.2: Let us assume that (Ω, Σ, Pr) is a probability space and F_v is a collection of fuzzy variables defined on possibility space $(\Gamma, P(\Gamma), Pos)$. A fuzzy random variable is a map $X: \Omega \rightarrow F_v$ such that for any Borel subset B of \mathfrak{R} , $Pos\{X(\omega) \in B\}$ is a measurable function of ω .

Let V be a random variable on probability space (Ω, Σ, Pr) . It makes $X(\omega) = (V(\omega) - 2, V(\omega) + 2, V(\omega) + 6)_\Delta$ a triangular fuzzy variable for every $\omega \in \Omega$ on some possibility space $(\Gamma, P(\Gamma), Pos)$. As a result, X is a triangular fuzzy random variable.

The expected value of the fuzzy variable $X(\omega)$ is denoted by $E[X(\omega)]$ for any fuzzy random variable X on Ω , (Liu and Liu, 2003). Thus, the expected value of the fuzzy random variable X is defined as the mathematical expectation of the random variable $E[X(\omega)]$.

Definition 2.3: Let X be a fuzzy random variable defined on a probability space (Ω, Σ, Pr) . The expected value of X is defined as follows in (Watada *et al.*, 2009):

$$E[X] = \int_{\Omega} \left[\int_0^{\infty} \left(\frac{1}{2} \left[1 + \sup_{t \geq r} \mu_{Z(\omega)^{(t)}} - \sup_{t < r} \mu_{Z(\omega)^{(t)}} \right] \right) dr - \int_{-\infty}^0 \left(\frac{1}{2} \left[1 + \sup_{t \leq r} \mu_{Z(\omega)^{(t)}} - \sup_{t > r} \mu_{Z(\omega)^{(t)}} \right] \right) dr \right] Pr(d\omega) \quad (2.6)$$

Definition 2.4: Let X be a fuzzy random variable defined on a probability space (Ω, Σ, Pr) with expected value e . The variance of X (Watada *et al.*, 2009) is defined as Equation 2.7.

$$\text{var}[X] = E[(X - e)^2] \quad (2.7)$$

where $e = E[X]$ given by Definition 2.3.

The preliminary of fuzzy random regression is explained through fuzzy random variable whereby two main components which develop the model were expected value and variance.

In fuzzy random regression method, the confidence intervals are expressed through the expectations and variances of fuzzy random variables. Fuzzy random data Y_j (output) and X_{jk} (input) for all $j = 1, \dots, N$ and $k = 1, \dots, K$ are defined as follows:

REFERENCES

- Abdollahzadeh, S., Rezaei, M., Dabbaghian, M., & Norouzi, A. (2010). A goal programming model for computation of fuzzy linear regression with least error. In *Computer Engineering and Technology (ICCET), 2010 2nd International Conference on*, 493.
- Nureize, A. and Watada, J. (2008). A fuzzy regression approach to hierarchical evaluation model for oil palm grading. In *Industrial Engineering and Engineering Management, 2008. IEEM 2008. IEEE International Conference on*, 486-490.
- Nureize, A. and Watada, J. (2010). A fuzzy regression approach to a hierarchical evaluation model for oil palm fruit grading. *Fuzzy Optimization and Decision Making*, 9(1), 105-122.
- Nureize, A. and Watada, J. (2011). Multi-level multi-objective decision problem through fuzzy random regression based objective function. In *Fuzzy Systems (FUZZ), 2011 IEEE International Conference on*, 557-563.
- Beichelt, F. (2010). *Stochastic processes in science, engineering and finance*. CRC Press.
- Booker, J. M., & Ross, T. J. (2011). An evolution of uncertainty assessment and quantification. *Scientia Iranica*, 18(3), 669-676.
- Chang, O. & Ayyub, M. (2001). Fuzzy regression methods—a comparative assessment. *Fuzzy sets and systems*, 119(2), 187-203.
- Couso, I., Dubois, D., Montes, S., & Sánchez, L. (2007). On various definitions of the variance of a fuzzy random variable. In *Fifth International Symposium on Imprecise Probabilities: Theory and Applications (ISIPTA 07) Prague (Czech Republic)*, 135-144.
- Daño, E. C., & Samonte, E. D. (2005). Public sector intervention in the rice industry in Malaysia. *State intervention in the rice sector in selected countries: Implications for the Philippines*.
- Denisa, F. (2012). Bottleneck Management in Discrete Batch Production. *Journal of Competitiveness*, 4(2), 161-171.

- Fahmi, Z., Samah, B. A., & Abdullah, H. (2013). Paddy Industry and Paddy Farmers Well-being: A Success Recipe for Agriculture Industry in Malaysia. *Asian Social Science*, 9(3), 177.
- Chertow, G. M., Lazarus, J. M., Lew, N. L., Ma, L., & Lowrie, E. G. (1997). Development of a population-specific regression equation to estimate total body water in hemodialysis patients. *Kidney international*, 51(5), 1578-1582.
- Van Huffel, S., & Vandewalle, J. (1987). Algebraic relationships between classical regression and total least-squares estimation. *Linear Algebra and its Applications*, 93, 149-160.
- Haneveld, W. K., & Stegeman, A. W. (2005). Crop succession requirements in agricultural production planning. *European Journal of Operational Research*, 166(2), 406-429.
- Höppner, F., & Klawonn, F. (2003). Improved fuzzy partitions for fuzzy regression models. *International journal of approximate reasoning*, 32(2), 85-102.
- Itoh, T., Ishii, H., & Nanseki, T. (2003). A model of crop planning under uncertainty in agricultural management. *International Journal of Production Economics*, 81, 555-558.
- Jackson, J. R., & Grossmann, I. E. (2003). Temporal decomposition scheme for nonlinear multisite production planning and distribution models. *Industrial & Engineering Chemistry Research*, 42(13), 3045-3055.
- Kwakernaak, (1978). Fuzzy random variables—I. Definitions and theorems. *Information Sciences*, 15(1), 1-29.
- Kwakernaak, (1979). Fuzzy random variables—II. Algorithms and examples for the discrete case. *Information Sciences*, 17(3), 253-278.
- Liu, B. (2012). Why is there a need for uncertainty theory. *Journal of Uncertain Systems*, 6(1), 3-10.
- López-Díaz, M., & Gil, M. A. (1997). Constructive definitions of fuzzy random variables. *Statistics & probability letters*, 36(2), 135-143.
- Gil, M. Á., López-Díaz, M., & Ralescu, D. A. (2006). Overview on the development of fuzzy random variables. *Fuzzy sets and systems*, 157(19), 2546-2557.
- Sakawa, M., & Yano, H. (1992). Fuzzy linear regression analysis for fuzzy input-output data. *Information sciences*, 63(3), 191-206.

- Messac, A., Batayneh, W. M., & Ismail-Yahaya, A. (2002). Production planning optimization with physical programming. *Engineering optimization*, 34(4), 323-340.
- Montgomery, D. C., Peck, E. A., & Vining, G. G. (2012). *Introduction to linear regression analysis* (821). Wiley.
- Näther, W. (2006). Regression with fuzzy random data. *Computational Statistics & Data Analysis*, 51(1), 235-252.
- Pasha, E., Razzaghnia, T., Allahviranloo, T., Yari, G., & Mostafaei, H. R. (2007). Fuzzy linear regression models with fuzzy entropy. *Applied Mathematical Sciences*, 1(35), 1715-1724.
- Puri, M. L., & Ralescu, D. A. (1986). Fuzzy random variables. *Journal of mathematical analysis and applications*, 114(2), 409-422.
- Ramli, N. N., Shamsudin, M. N., Mohamed, Z., & Radam, A. (2012). Impact of Price Support Policy on Malaysian Rice Industry.
- Wang, R. C., & Fang, H. H. (2001). Aggregate production planning with multiple objectives in a fuzzy environment. *European Journal of Operational Research*, 133(3), 521-536.
- González-Rodríguez, G., Blanco, Á., Colubi, A., & Lubiano, M. A. (2009). Estimation of a simple linear regression model for fuzzy random variables. *Fuzzy Sets and Systems*, 160(3), 357-370.
- Pastor, R., Altimiras, J., & Mateo, M. (2009). Planning production using mathematical programming: the case of a woodturning company. *Computers & Operations Research*, 36(7), 2173-2178.
- Graves, S. C. (1999). Manufacturing planning and control. *Handbook of applied optimization*, 728-746.
- Shapiro, A. F. (2005). Fuzzy regression models. *Article of Penn State University*.
- Song, K. B., Baek, Y. S., Hong, D. H., & Jang, G. (2005). Short-term load forecasting for the holidays using fuzzy linear regression method. *Power Systems, IEEE Transactions on*, 20(1), 96-101.
- Griffiths, T.L., and Tenenbaum, J.B. (2011) Predicting the future as Bayesian inference: People combine prior knowledge with observations when estimating duration and extent. 140(4), 725-743.
- Torabi, S. A., Ebadian, M., & Tanha, R. (2010). Fuzzy hierarchical production planning (with a case study). *Fuzzy Sets and Systems*, 161(11), 1511-1529.

- Watada, J., Wang, S., & Pedrycz, W. (2009). Building confidence-interval-based fuzzy random regression models. *Fuzzy Systems, IEEE Transactions on*, 17(6), 1273-1283.
- Watada, J. (2011, April). Building models based on environment with hybrid uncertainty. In *Modeling, Simulation and Applied Optimization (ICMSAO), 2011 4th International Conference on*, 1-10.
- Cave, W.C. (2011). Prediction Theory for Control System.
- Yang, M. S., & Ko, C. H. (1997). On cluster-wise fuzzy regression analysis. *Systems, Man, and Cybernetics, Part B: Cybernetics, IEEE Transactions on*, 27(1), 1-13.
- Yang, L., & Gao, J. (2010, May). Characteristic Functions of Fuzzy Random Variables. In *Computational Science and Optimization (CSO), 2010 Third International Joint Conference on* (145-149).
- Zadeh, L. A. (2002). Toward a perception-based theory of probabilistic reasoning with imprecise probabilities. *Journal of statistical planning and inference*, 105(1), 233-264.
- Zadeh, L. A. (2008). Is there a need for fuzzy logic? *Information Sciences*, 178(13), 2751-2779.
- Natural Rubber Statistic. Retrieved September 1, 2013 from <http://www.lgm.gov.my>
- Rubber-based industry. Retrieved on October 10, 2013 from <http://www.mida.gov.my>
- Malaysian Rubber Export Promotion Council. Retrieved on October 10, 2013 from <http://www.mrepc.gov.my>
- Market Watch 2012. The Rubber Sector in Malaysia Retrieved October 22, 2013 from <http://www.malaysia.ahk.de>
- Rubber Journal Asia. Malaysian rubber industry in competitive mode. Retrieved on October 22, 2013 from <http://rubberjournalasia.com>
- Department of Agriculture. Paddy Statistic. Retrieved on October 24, 2013 from <http://www.doa.gov.my>
- Rubber industry in recovery stage. Retrieved on November 1, 2013 from <http://www.btimes.com.my>
- Ee Ann Nee (2013). Higher prices indicate rubber industry bouncing back. Retrieved on November 12, 2013 from <http://www.thesundaily.my>